

Water Source Console Heat Pump

Form No. 801PS-190
Subject to change without notice

Pricing Policy:

This price sheet supersedes the price sheet dated February 1, 1989 and any subsequent addendums issued in letters to the field.

1. Freight terms are "FOB Shipping Point," Full Freight Allowed. On shipments to Canada, Alaska and Hawaii, Freight terms are "FOB Shipping Point," Full Freight Allowed to the U.S. Border. Normal shipment is by truck; if premium transportation is requested, the extra cost must be borne by the requester.
2. Warranty: The standard warranty on units, controls, and accessories is one year no labor.
3. Check, test and start is usually the responsibility of the installing contractor, therefore, our prices do not include any check, test and start monies. If it must be added, it is the responsibility of the representative to include the money in his quotation.
4. Terms of Sale are net 30 days. Credit must be approved or terms agreed upon before any equipment will be shipped.
5. Project information and a credit application must be filed with the Credit Department, and where applicable, a sales tax certification.
6. List Price deducts are indicated by () around the amount.

Ordering/Pricing Example:

801 Series Water Source Console Heat Pump

| POSITION 1,2,3 | POSITION 4,5 | POSITION 6 | POSITION 7 | POSITION 8 | POSITION 9 | POSITION 10 | POSITION 11 | POSITION 12 | POSITION 13 | | |
|----------------|--------------|------------|---------------------------|---------------------------------|------------|-------------|-------------|---------------------|-------------------|----------------------|--------|
| SERIES | SIZE | VOLTAGE | WATER CONNECTION LOCATION | ELECTRIC HEATER/BOILERLESS KITS | CONTROLS | CABINET | BASE | ELECTRIC CONNECTION | PIPING CONNECTION | | |
| 801 | 10 | B | L | 0 | A | S | S | A | M | | |
| | | | | | | | | | | MALE PIPE THREAD | \$ 12 |
| | | | | | | | | | | 2 x 4 Junction Box | N/C |
| | | | | | | | | | | STANDARD BASE | N/C |
| | | | | | | | | | | STANDARD CABINET | N/C |
| | | | | | | | | | | MANUAL CHANGEOVER | N/C |
| | | | | | | | | | | NO ELECTRIC HEAT | N/C |
| | | | | | | | | | | LEFT HAND CONNECTION | N/C |
| | | | | | | | | | | 230 V | \$1839 |
| | | | | | | | | | | SIZE 010 | N/C |
| | | | | | | | | | | SERIES 801 | N/C |
| | | | | | | | | | | | \$1851 |

801 Series Water Source Console Heat Pump

Standard Heat Pump—Base Unit Prices:

Positions 1, 2, 3 indicate heat pump or cooling only)

801 – Standard Heat Pump

901 – Cooling Only: List Deduct (\$42)

(Positions 4, 5, 6 indicate capacity and voltage options)

| | | POSITION 6 | | | | | |
|----------------|----|------------|--------|--------|--------|---------|--------------|
| | | A | B | C | E | G | V |
| | | 115V | 230V | 208V | 265V | 208/230 | 200/240 50HZ |
| POSITIONS 4, 5 | 08 | \$1822 | \$1788 | \$1788 | \$1797 | \$1788 | \$1797 |
| | 10 | \$1874 | \$1839 | \$1839 | \$1851 | \$1839 | \$1851 |
| | 12 | \$1908 | \$1873 | \$1873 | \$1885 | \$1873 | \$1885 |
| | 15 | N/A | \$1994 | \$1994 | \$2007 | \$1994 | \$2007 |
| | 19 | N/A | \$2160 | \$2160 | \$2174 | \$2160 | \$2174 |

NOTES:

Specific Voltage must be specified for Master/Slave

B = 230 VAC to be used with "G" Control Option (Master/Slave, Remote T'Stat)

C = 208 VAC to be used with "G" Control Option (Master/Slave, Remote T'Stat)

N/A = Not Available

Water Connection Location:

(Position 7 indicates available water connection location options)

| | | POSITION 7 | |
|------------|--|------------|-----|
| | | L | R |
| LIST PRICE | | \$0 | \$0 |

NOTES:

L = Left Hand Connection

R = Right Hand Connection

Water Connections are always determined by looking at the front of the unit

Electric Heater/Boilerless System:

(Position 8 indicates available electric heater/boilerless kit options)

| | | POSITION 8 | | | | | | | | | | |
|------------|--|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 0 | 1 | 2 | 3 | 4 | 5 | A | B | C | D | E |
| LIST PRICE | | \$ 0 | \$281 | \$281 | \$281 | \$281 | \$281 | \$129 | \$129 | \$129 | \$129 | \$129 |
| SET-UP | | \$ 0 | \$562 | \$562 | \$562 | \$562 | \$562 | \$281 | \$281 | \$281 | \$281 | \$281 |

NOTES:

0 = No Electric Heat

1 = 1.0 KW Boilerless Electric Heater Kit

2 = 1.5 KW Boilerless Electric Heater Kit

3 = 2.0 KW Boilerless Electric Heater Kit

4 = 3.0 KW Boilerless Electric Heater Kit

5 = 3.7 KW Boilerless Electric Heater Kit

Set-Up Charges are Net Per Order

Cooling Only Units without Electric Heaters always have ACO Controls

A = 1.0 KW Electric Heater (to be used cooling only — 901 console)

B = 1.5 KW Electric Heater (to be used cooling only — 901 console)

C = 2.0 KW Electric Heater (to be used cooling only — 901 console)

D = 3.0 KW Electric Heater (to be used cooling only — 901 console)

E = 3.7 KW Electric Heater (to be used cooling only — 901 console)

801 Series Water Source Console Heat Pump

Control Options:

(Position 9 indicates available control options)

| | | POSITION 9 | | | | | | | | |
|------------|--|------------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | A | B | C | D | E | F | G | M | N |
| LIST PRICE | | \$ 0 | \$ 57 | \$ 28 | \$ 85 | \$197 | \$253 | \$ 45 | \$ 34 | \$ 90 |
| SET-UP | | \$ 0 | \$ 0 | \$ 0 | \$ 0 | \$224 | \$224 | \$ 0 | \$ 0 | \$ 0 |

NOTES:

A = Manual Changeover, Unit Mounted Control
 B = Automatic Changeover, Unit Mounted Control
 C = MCO, Unit Mounted Control with 24 VAC normally Open Control Relay
 D = ACO, Unit Mounted Control with 24 VAC normally Open Control Relay
 E = MCO, with 24 VAC normally Open Control Relay, Nite Set Back Thermostat and 2 hr Override Timer
 F = ACO, with 24 VAC normally Open Control Relay, Nite Set Back Thermostat and 2 hr Override Timer
 G = Low Voltage, Master/Slave or Wall Mounted Thermostat
 M = MCO, with Nite Set Back Thermostat
 N = ACO, with Nite Set Back Thermostat
Set-Up Charges are Net Per Order

Control Option "G"

The Master/Slave, Remote Thermostat Control Package can be used for a Single Unit or Multiple Units. It is 24 Volts and is designed to work with any of the Single Stage Thermostats/Subbases.

Cabinet Options:

(Position 10 indicates available cabinet options)

| DESCRIPTION | OPTION CODE | LIST(EA) \$ | ORDER SET-UP(NET) |
|--|-------------|----------------|-------------------|
| STANDARD CABINET | S | \$ 0 | \$ 0 |
| STANDARD CABINET W/LOCKED CONTROL DOOR (LCD) | L | \$ 30 | \$225 |
| STANDARD CABINET W/FINISHED BACK (FB) | F | \$ 35 | \$225 |
| STANDARD CABINET W/LCD & FB | A | \$ 65 | \$225 |
| STANDARD CABINET W/AL. LINEAR BAR GRILLE | J | \$ 45 | \$225 |
| STANDARD CABINET FOR REMOTE MASTER/SLAVE | M | \$ 0 | \$ 0 |
| NO CABINET (LIST DEDUCT) | O | (\$151) | \$ 0 |

STANDARD CABINET SIZE: 801-08, 10, 12 = 48" 801-15, 19 = 52"

ADD \$225 net set up charges for items B, C, E, L, and F

Base Options:

(Position 11 indicates available base options)

| | | POSITION 11 | | | |
|------------|--|-------------|------|------|------|
| | | O | S | D | E |
| LIST PRICE | | (\$37) | \$ 0 | \$95 | \$15 |

NOTES:

O = No Base
 S = Standard Base
 D = Base includes Motorized Damper
 E = Base includes Manual Damper
Add \$210 net set up charges for items D and E
Set-Up Charges are Net Per Order

801 Series Water Source Console Heat Pump

Power Connections:

(Position 12 indicates available power connections)

| | | POSITION 12 | | | | | | | |
|------------|--|-------------|-------|-------|-------|-------|-------|-------|-------|
| | | A | B | C | D | G | H | J | S |
| LIST PRICE | | \$ 0 | \$ 17 | \$ 74 | \$ 90 | \$ 22 | \$112 | \$126 | \$ 85 |

NOTES:

A = 2 x 4 Junction Box
 B = 20 AMP Line Cord
 C = 20 AMP Line Cord and Receptacle
 D = 20 AMP Line Cord, Receptacle and Disconnect
 G = 30 AMP Line Cord
 H = 30 AMP Line Cord and Receptacle (N/A on 265)
 J = 30 AMP Line Cord, Receptacle and Disconnect (N/A on 265)
 S = 30 AMP Line Cord and Receptacle

Use 20 AMP Line Cords as follows:
 Up to a 3.0 KW Electric Heater at 208 VAC
 Up to a 3.0 KW Electric Heater at 230 VAC
 Up to a 3.7 KW Electric Heater at 265 VAC
 Use 30 AMP Line Cords as follows:
 For 3.7 and 4.5 KW Electric Heaters at 208 VAC
 For 3.7 and 4.5 KW Electric Heaters at 230 VAC
 For a 4.5 KW Electric Heater at 265 VAC

Consult factory if circuit breakers or fused disconnects are specified.

Piping Connection Options:

(Position 13 indicates available piping connections)

| | | POSITION 13 | | | | | | | |
|------------|--|-------------|-------|-------|-------|-------|------|-------|-------|
| | | A | B | C | F | M | O | U | H |
| LIST PRICE | | \$ 67 | \$ 74 | \$ 67 | \$ 12 | \$ 12 | \$ 0 | \$ 17 | \$169 |

NOTES:

A = Female Pipe Thread with Ball Valves
 B = Ball Valves and Unions
 C = Male Pipe Thread with Ball Valves
 F = Female Pipe Thread
 H = Hydronic On/Off Valve
 M = Male Pipe Thread
 O = None
 U = Female Union

Chassis Size Options:

(Positions 14, 15 indicate available chassis size options)

| | | POSITIONS 14, 15 | | |
|------------|--|------------------|-----|-----|
| | | OC | OB | OA |
| LIST PRICE | | N/C | N/C | N/C |

NOTES:

OB = 48" Cabinet and Chassis, Sizes 008, 010, 012
 OA = 52" Cabinet and Chassis, Sizes 015, 019

ACCESSORIES

801 Series

Thermostats/Subbases

| CLIMATEMASTER PART NUMBER | VENDOR REF. NUMBER | APPLICATION | LIST PRICE |
|---------------------------|---------------------|--|------------|
| AT4175/AQ4766 | T834A1675/Q634G1066 | SINGLE STAGE MANUAL CHANGEOVER | \$ 59 |
| AT5854/AQ5386 | T874H1054/Q674C1041 | SINGLE STAGE AUTOMATIC CHANGEOVER | \$ 173 |
| AT5784/AQ5323 | T874G1584/Q674C1223 | SINGLE STAGE ACO, WITH NSB | \$ 194 |
| AT5930/AQ5215 | T874P1022/Q674B1315 | SINGLE STAGE COOLING ONLY ACO INCLUDES OVERRIDE AND SERVICE LEDS | \$ 198 |
| AT5930/AQ5315 | T874P1022/Q674C1215 | SINGLE STAGE ACO, WITH NSB AND OVERRIDE INCLUDES OVERRIDE AND SERVICE LEDS | \$ 198 |
| AT0910 | HP-2 | SINGLE OR TWO STAGE PROGRAMMABLE (ACO/MCO) | \$ 434 |
| AT12124 | T841A1324 | SINGLE STAGE MCO INCLUDES SUBBASE, EMERGENCY AND AUXILIARY HEAT LEDS | \$ 152 |
| AT12234 | T841B | SINGLE STAGE MCO INCLUDES SUBBASE AND NO LEDS | \$ 129 |

THERMOSTAT COVERS

| CLIMATEMASTER PART NUMBER | VENDOR PART NUMBER | DESCRIPTION | LIST PRICE |
|---------------------------|--------------------|---|------------|
| AM5045 | TG500A1045 | CLEAR PLASTIC COVER FOR ALL HONEYWELL T'STATS | \$ 37 |
| AM5060 | TG500A1060 | BEIGE PLASTIC COVER FOR ALL HONEYWELL T'STATS | \$ 37 |
| AM5409 | TG504A1009 | LOCKING COVER FOR AT5784, 5930, 5854, 5411 | \$ 54 |
| AM5417 | TG504A1017 | LOCKING COVER/EXTERNAL THERMOMETER FOR AT5784, 5930, 5854, 5411 | \$ 54 |

Hose Kits and Accessories

| GALVANIZED CLIMATEMASTER | | DESCRIPTION | LIST PRICE |
|--------------------------|--|---------------------------------|------------|
| PART NUMBER | | | |
| AK5011-2 | | 1/2" x 1' HOSE KIT WITH ADAPTER | \$ 22 |

| STAINLESS CLIMATEMASTER | | DESCRIPTION | LIST PRICE |
|-------------------------|--|---------------------------------|------------|
| PART NUMBER | | | |
| AK5021-2 | | 1/2" x 1' HOSE KIT WITH ADAPTER | \$ 45 |

| ADAPTERS CLIMATEMASTER | | DESCRIPTION | LIST PRICE |
|------------------------|--|----------------------------------|------------|
| PART NUMBER | | | |
| AAD0500 | | 1/2" FLARED MALE-TO-MALE ADAPTER | \$2.00 |

Loop Control Panel and Accessories

| CLIMATEMASTER PART NUMBER | DESCRIPTION | LIST PRICE |
|---------------------------|---------------------------------|------------|
| MACS-002 | 4 STAGES HT REJ, 1 STAGE HT ADD | \$4505 |
| 68263700 | WATER TEMPERATURE SENSOR | N/C |
| 68263701 | OUTSIDE AIR TEMPERATURE SENSOR | N/C |
| 68273700 | SIMULATOR | \$ 455 |
| 68273701 | REPEATER | \$ 676 |
| 68263800 | FLOW SWITCH | \$ 141 |

1. WATER AND AIR TEMPERATURE SENSORS ARE INCLUDED INSIDE THE MACS-002.

Water Valves and Accessories

| CLIMATEMASTER PART NUMBER | DESCRIPTION | LIST PRICE |
|---------------------------|---|------------|
| AV0006 | 3/4" DUAL ACTING WATER REGULATING VALVE | \$ 345 |

Field Installed Kits

| CLIMATEMASTER PART NUMBER | DESCRIPTION | LIST PRICE |
|------------------------------|-----------------------|------------|
| AORTO-120 | 2 HOUR OVERRIDE TIMER | \$ 40 |

Filters

| 1 INCH PERMANENT CLIMATEMASTER PART NUMBER | APPLICATION | LIST PRICE |
|--|---|------------|
| 24189601 | 801 SIZES 08, 10, 12, 15 IN 48" CABINET | \$ 9.00 |
| 24189602 | 801 SIZES 15, 19 | \$ 9.50 |

Contact the factory for any specials that are not shown.
All items on these pages are U.L. Approved and Listed unless otherwise noted.
Specials will generally not be U.L. Listed.

ClimateMaster

P.O. Box 25788
Oklahoma City, OK 73125
(405) 745-6000